Dell P2419H(DELL-P2419H)

Dell P2419H - LED monitor - 24" (23.8" viewable) - 1920 x 1080 Full HD (1080p) - IPS - 250 cd/m² - 1000:1 - 5 ms - HDMI,VGA,DisplayPort - with 3-Years Advanced Exchange Service and Premium Panel Guarantee - for Latitude 7400 2-in-1;XPS 13 9380,15 9570



Optimize your workspace with this efficient 23.8"monitor built with an ultrathin bezel design, a small footprint and comfort-enhancing features.

Key Selling Points

Expand your efficiency More ways to multitask Consistent and rich colors Clean and clutter-free Easy on the eyes Adjust to your comfort

Product Features

Expand your efficiency

The three-sided ultrathin bezel design lets you enjoy an uninterrupted view of your content across multiple monitors. And, with dual monitors, you can increase your productivity.

More ways to multitask

Work conveniently across multiple screens and select from predefined templates with the Easy Arrange feature on Dell Display Manager software. Quickly tile and arrange your applications and get back to work faster with Auto-restore, a feature that remembers where you left off.

Consistent and rich colors

A wide viewing angle enabled by In-Plane Switching (IPS) technology lets you see vibrant colors - no matter where you sit.

Clean and clutter-free

Focus on your work while hiding away cable clutter with an improved cable management design.

Easy on the eyes

This monitor has a flicker-free screen with ComfortView, a feature that reduces harmful blue light emissions. It's designed to optimize eye comfort even over extended viewing.

Adjust to your comfort

Pivot, tilt, swivel and adjust the height of your monitor for a comfortable setup all day long.

Main Specifications

Product Description	Dell P2419H - LED monitor - Full HD (1080p) - 24"
Device Type	LED-backlit LCD monitor - 24"
Energy Class	Class A
Energy Consumption per Year	29 kWh
Power Consumption (On mode)	20 W
Features	USB 3.0 hub
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 60 Hz
Pixel Pitch	0.275 mm
Brightness	250 cd/m ²
Contrast Ratio	1000:1
Response Time	8 ms (normal);5 ms (fast)

Colour Support	16.7 million colours
Input Connectors	HDMI,VGA,DisplayPort
Display Position Adjustments	Height, pivot (rotation), swivel, tilt
Screen Coating	Anti-glare,3H Hard Coating
Dimensions (WxDxH) – with stand	53.78 cm x 16.6 cm x 35.61 cm
Weight	4.93 kg
Environmental Standards	TCO Certified Displays 8, ENERGY STAR Qualified
Compliant Standards	Plug and Play, DDC/CI, RoHS, EDID compatible, DisplayPort 1.2
Bundled Services	3-Years Advanced Exchange Service and Premium Panel Guarantee
Designed For	Latitude 7400 2-in-1; XPS 13 9380,15 9570

Extended Specification

General

Display Type	LED-backlit LCD monitor / TFT active matrix
Energy Class	Class A
Energy Consumption per Year	29 kWh
Power Consumption (On mode)	20 W
Diagonal Size	24"
Viewable Size	23.8"
Built-in Devices	USB 3.0 hub
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	Full HD (1080p) 1920 x 1080 at 60 Hz
Pixel Pitch	0.275 mm
Pixel Per Inch	92
Brightness	250 cd/m ²
Contrast Ratio	1000:1
Colour Support	16.7 million colours
Response Time	8 ms (normal);5 ms (fast)
Vertical Refresh Rate	50 - 76 Hz
Horizontal Refresh Rate	30 - 83 kHz
Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Screen Coating	Anti-glare,3H Hard Coating
Backlight Technology	LED backlight
OSD Languages	Chinese (simplified),Brazilian Portuguese,English,German,French,Russian,Spanish,Japanese
Features	72% (CIE 1931) colour gamut,LED edgelight system,Dell Custom Color,Flicker Free technology,BFR/PVC-free,Mercury free,Dell ComfortView,arsenic free
Dimensions (WxDxH)	53.78 cm x 16.6 cm x 35.61 cm - with stand
Weight	4.93 kg

Connectivity

Interfaces	DisplayPort VGA HDMI USB 3.0 upstream (Type B) 2 x USB 3.0 downstream (Type A) 2 x USB 2.0 downstream (Type A)
Mechanical	
Display Position Adjustments	Height, pivot (rotation), swivel, tilt
Tilt Angle	-5/+21
Swivel Angle	90
Rotation Angle	180
Height Adjustment	130 mm
VESA Mounting Interface	100 x 100 mm
Miscellaneous	
Features	Security lock slot (cable lock sold separately),LED indicator,VESA interface support
Cables Included	1 x DisplayPort cable - DisplayPort to DisplayPort 1 x SuperSpeed USB cable
Compliant Standards	Plug and Play, DDC/CI, RoHS, EDID compatible, DisplayPort 1.2
Security Slot Type	Kensington security slot
Power	
Voltage Required	AC 120/230 V (50/60 Hz)
Power Consumption Operational	18 Watt
Power Consumption Stand by	0.3 Watt
Power Consumption (Off Mode)	0.3 Watt
Software / System Requirements	
Included Software	Dell Display Manager
Dimensions &Weight	
Dimensions &Weight Details	Without stand - width:53.78 cm - depth:4.28 cm - height:32.22 cm - weight:3.26 kg With stand - width:53.78 cm - depth:16.6 cm - height:35.61 cm - weight:4.93 kg
Dimensions &Weight (Shipping)	
Shipping Weight	7.1 kg
Environmental Standards	
TCO Certified	TCO Certified Displays 8
ENERGY STAR Certified	Yes
Manufacturer Warranty	

Bundled Services	3-Years Advanced Exchange Service and Premium Panel Guarantee
Environmental Parameters	
Min Operating Temperature	0 °C
Max Operating Temperature	40 °C
Humidity Range Operating	20 - 80% (non-condensing)
Compatibility Information	
Designed For	Dell Latitude 7400 2-in-1 Dell XPS 13 9380,15 9570
What's in the box	

Dell P2419H DisplayPort cable SuperSpeed USB cable Software

*Tech Data is not responsible for errors in the documentation of products.