


Lenovo ThinkPad USB-C Dock Gen 2(40AS0090EU)

Lenovo ThinkPad USB-C Dock Gen 2 - Docking station - USB-C - HDMI ,2 x DP - GigE - 90 Watt - Europe - for ThinkPad P15s Gen 2;X1 Titanium Yoga Gen 1;X13 Gen 2;Yoga 6 13;Yoga Slim 7 Pro 14

ThinkPad USB-C Dock Gen 2 (40AS),next generation of USB-C one-cable universal docking solutions. Supports vivid 4K displays or multiple 1080p screens,charge your notebook,connect legacy USB peripherals,wired networks and rapidly charge your mobile devices.



Key Selling Points

One Connection,no limitations - think of all the time you'd save if you could connect all your peripherals at once,transfer USB data at lightning - fast 10Gbps speeds,and have access to a stable,stress - free wired network connection
Jaw-dropping 4K or multiple displays:the days of being limited by your notebook's capabilities are over
Ready for your command - ideal for being the centerpiece of your workspace. Completely control your ThinkPad systems with PXE Boot,System Wake-on-LAN
Dock has the ability to support DisplayPort 1.4 and HDMI for max 1x 4K@60 Hz,but the real video output would depend on the system's output

Main Specifications

Product Description	Lenovo ThinkPad USB-C Dock Gen 2 - docking station - USB-C - HDMI ,2 x DP - GigE
Product Type	Docking station
Docking Interface	USB-C
Video Interfaces	HDMI ,2 x DP
Dimensions (WxDxH)	17.1 cm x 8 cm x 3.075 cm
Weight	325 g
Colour	Black
Localisation	Europe
Networking	Gigabit Ethernet
Power	Power adapter 90 Watt AC 120/230 V (50/60 Hz)
Manufacturer Warranty	3-year warranty
Designed For	IdeaPad 5 Pro 14;IdeaPad Slim 7 14ARE05;9 14;ThinkBook 14s G2 ITL;ThinkPad E15 Gen 2;L14 Gen 2;L15 Gen 2;P14s Gen 1;P15s Gen 2;T14s Gen 2;X1 Carbon Gen 9;X1 Nano Gen 1;X1 Titanium Yoga Gen 1;X1 Yoga Gen 6;X12 Detachable;X13 Gen 2;Yoga 6 13;Yoga Duet 7 13;Yoga Slim 7 13;7 Pro 14

Extended Specification

General

Product Type	Docking station
Width	17.1 cm
Depth	8 cm
Height	3.075 cm
Weight	325 g
Enclosure Colour	Black

Localisation	Europe
--------------	--------

Video

Max Resolution Details	3840 x 2160 - 60 Hz (DisplayPort 1.4 only)
	3840 x 2160 - 60 Hz (HDMI only)
	3840 x 2160 - 30 Hz (DisplayPort1 1.4 and DisplayPort2 1.4 simultaneously)
	3840 x 2160 - 30 Hz (DisplayPort 1.4 and HDMI simultaneously)
	2560 x 1600 - 60 Hz (DisplayPort1 1.4 and DisplayPort2 1.4 simultaneously)
	2560 x 1600 - 60 Hz (DisplayPort 1.4 and HDMI simultaneously)
	1920 x 1080 - 60 Hz (DisplayPort1 1.4 and DisplayPort2 1.4 and HDMI simultaneously)
	3840 x 2160 - 30 Hz (DisplayPort 1.2 only)
	1920 x 1080 - 60 Hz (DisplayPort1 1.2 and DisplayPort2 1.2 simultaneously)
	1920 x 1080 - 60 Hz (DisplayPort 1.2 and HDMI simultaneously)
1024 x 768 - 60 Hz (DisplayPort1 1.2 and DisplayPort2 1.2 and HDMI simultaneously)	

Networking

Data Link Protocol	Gigabit Ethernet
--------------------	------------------

Expansion / Connectivity

Interfaces	3 x USB 3.1
	2 x USB 2.0 - 4 pin USB Type A
	1 x audio - headphones/microphone - mini-phone stereo 3.5 mm
	1 x USB-C
	1 x display / video - HDMI - 19 pin HDMI Type A
	2 x audio / video - DisplayPort - 20 pin DisplayPort
	1 x network - RJ-45

Miscellaneous

Cables Included	1 x USB-C cable
Features	Security lock slot (cable lock sold separately), wake on LAN
Security Slot Type	Kensington security slot
Compliant Standards	TUV,VCCI,BSMI,NOM,CB,FCC,SII,KCC,ICES,cULus,Kvalitet,EAC,RCM,Ukraine EMC DoC,LoA

Power

Power Device	Power adapter
Voltage Required	AC 120/230 V (50/60 Hz)
Power Provided	90 Watt

System Requirements

OS Required	Microsoft Windows 7 / 8 / 8.1 / 10
-------------	------------------------------------

Manufacturer Warranty

Service & Support	- 3 years
-------------------	-----------

Environmental Parameters

Min Operating Temperature	0 °C
Max Operating Temperature	35 °C

Compatibility Information

Designed For

Lenovo IdeaPad 5 15ITL05 82FG
Lenovo IdeaPad 5 Pro 14ITL6 82L3
Lenovo IdeaPad S540-13ARE 82DL
Lenovo IdeaPad Slim 7 14ARE05 82A5
Lenovo IdeaPad Slim 9 14ITL5 82D2
Lenovo ThinkBook 13s G2 ITL 20V9
Lenovo ThinkBook 14s G2 ITL 20VA
Lenovo ThinkBook 15 G2 ITL 20VE
Lenovo ThinkPad C13 Yoga Gen 1 Chromebook 20UX,20UY
Lenovo ThinkPad E14 Gen 2 20T6,20T7,20TA,20TB
Lenovo ThinkPad E15 Gen 2 20T8,20T9,20TE
Lenovo ThinkPad L14 Gen 1 20U1,20U2,20U5,20U6
Lenovo ThinkPad L14 Gen 2 20X1,20X2
Lenovo ThinkPad L15 Gen 1 20U3,20U4,20U7,20U8
Lenovo ThinkPad L15 Gen 2 20X3,20X4
Lenovo ThinkPad P1 (3rd Gen) 20TH,20TJ
Lenovo ThinkPad P14s Gen 1 20S4,20S5,20Y1,20Y2
Lenovo ThinkPad P15 Gen 1 20ST,20SU
Lenovo ThinkPad P15s Gen 1 20T4,20T5
Lenovo ThinkPad P15s Gen 2 20W7
Lenovo ThinkPad P15v Gen 1 20TQ,20TR
Lenovo ThinkPad P17 Gen 1 20SN,20SQ
Lenovo ThinkPad T14 Gen 1 20S0,20S1,20S2,20S3,20UD,20UE
Lenovo ThinkPad T14s Gen 1 20T0,20T1,20UH,20UJ
Lenovo ThinkPad T14s Gen 2 20WM,20WN
Lenovo ThinkPad T15 Gen 1 20S7
Lenovo ThinkPad T15g Gen 1 20UR,20US
Lenovo ThinkPad T15p Gen 1 20TM,20TN
Lenovo ThinkPad X1 Carbon Gen 8 20U9,20UA
Lenovo ThinkPad X1 Carbon Gen 9 20XW,20XX
Lenovo ThinkPad X1 Nano Gen 1 20UN,20UQ
Lenovo ThinkPad X1 Titanium Yoga Gen 1 20QA,20QB
Lenovo ThinkPad X1 Yoga Gen 5 20UB,20UC
Lenovo ThinkPad X1 Yoga Gen 6 20XY,20Y0
Lenovo ThinkPad X12 Detachable 20UV
Lenovo ThinkPad X13 Gen 1 20T2,20T3,20UF,20UG
Lenovo ThinkPad X13 Gen 2 20WK,20WL
Lenovo ThinkPad X13 Yoga Gen 1 20SX,20SY
Lenovo Yoga 6 13ALC6 82ND
Lenovo Yoga Duet 7 13IML05 82AS
Lenovo Yoga Duet 7 13ITL6 82MA
Lenovo Yoga Slim 7 13ACN5 82CY
Lenovo Yoga Slim 7 13ITL5 82CU
Lenovo Yoga Slim 7 Carbon 13ITL5 82EV
Lenovo Yoga Slim 7 Pro 14ARH5 82LA
Lenovo Yoga Slim 7 Pro 14IHU5 82NC
Lenovo Yoga Slim 7 Pro 14ITL5 82FX
Lenovo Yoga Slim 9 14ITU05 82D1

*Tech Data is not responsible for errors in the documentation of products.