

HP DesignJet T125(5ZY57A#B19)

HP DesignJet T125 - 24" large-format printer - colour - ink-jet - Roll A1 (61.0 cm x 45.7 m) - 1200 x 1200 dpi - up to 0.75 min/page (mono) / up to 0.75 min/page (colour) - USB 2.0,LAN,Wi-Fi



## Main Specifications

Product Description	HP DesignJet T125 - large-format printer - colour - ink-jet
Printer Type	24" large-format printer - ink-jet - colour
Weight	25.5 kg
Localisation	English, German, French, Italian, Spanish / Europe
Inkjet Technology	HP Thermal Inkjet
Ink Palette Supported (Colours)	4-ink - cyan, magenta, yellow, pigment black
Max Media Size	Roll A1 (61.0 cm x 45.7 m)
Min Media Size (Custom)	210 mm x 279 mm
Max Media Size (Custom)	610 mm x 45.7 m
Print Speed	Up to 0.75 min/page - black draft - ANSI D (559 x 864 mm)   Up to 0.75 min/page - colour draft - ANSI D (559 x 864 mm)   Up to 0.75 min/page - black draft - A1 (594 x 841 mm)   Up to 0.75 min/page - colour draft - A1 (594 x 841 mm)
Max Resolution (B&W)	1200 x 1200 dpi
Max Resolution (Colour)	1200 x 1200 dpi
Interface	USB 2.0, LAN, Wi-Fi
RAM Installed (Max)	256 MB (256 MB)
Language Simulation	HP GL/2, JPEG
Media Type	Plain paper, photo paper, bond paper, recycled paper, film, glossy paper
Networking	Print server
Printer Features	4.1 kg max roll weight
Power	AC 120/230 V
System Requirements	Linux, Microsoft Windows Server 2008 R2, Apple MacOS X 10.6, Microsoft Windows 7 Home Premium (32/64 bits), Microsoft Windows Vista Business (32/64 bits), Microsoft Windows Vista Home Premium (32/64 bits), Microsoft Windows Vista Ultimate (32/64 bits), Microsoft Windows 7 Professional (32/64 bits), Microsoft Windows 7 Ultimate (32/64 bits), Microsoft Windows Server 2008 (32/64-bits), Microsoft Windows Server 2003 (32/64-bits), Apple MacOS X Lion 10.7, Microsoft Windows XP Home Edition x64 Edition SP3, Citrix XenServer, Citrix XenApp, Apple MacOS X 10.8, Microsoft Windows XP Home Edition SP3 (32-bit), Microsoft Windows XP Professional SP3 (32/64 bits)
Manufacturer Warranty	1-year warranty
Dimensions (WxDxH)	98.7 cm x 53 cm x 28.5 cm

## Extended Specification

General

Printer Type	24" large-format printer - ink-jet - colour
Localisation	English,German,French,Italian,Spanish / Europe

## Printer

Inkjet Technology	HP Thermal Inkjet
Ink Palette Supported (Colours)	4-ink - cyan,magenta,yellow,pigment black
Nozzle Configuration	1376 nozzles
Minimum Ink Droplet Size	12 pl (black),5.5 pl (colour)
Ink Cartridge Configuration	4 cartridges (1 each: cyan,magenta,yellow,pigment black)
Print Speed	Up to 0.75 min/page - black draft - ANSI D (559 x 864 mm) Up to 0.75 min/page - colour draft - ANSI D (559 x 864 mm) Up to 0.75 min/page - black draft - A1 (594 x 841 mm) Up to 0.75 min/page - colour draft - A1 (594 x 841 mm)
Built-in Devices	Cutter
Connectivity Technology	Wireless
Interface	USB 2.0,LAN,Wi-Fi
Max Resolution (B&W)	1200 x 1200 dpi
Max Resolution (Colour)	1200 x 1200 dpi
Language Simulation	HP GL/2,JPEG
Printer Features	4.1 kg max roll weight

## RAM

RAM Installed (Max)	256 MB / 256 MB (max)
---------------------	-----------------------

## Media Handling

Media Type	Plain paper,photo paper,bond paper,recycled paper,film,glossy paper
Max Media Size	Roll A1 (61.0 cm x 45.7 m)
Min Media Size (Custom)	210 mm x 279 mm
Max Media Size (Custom)	610 mm x 45.7 m
Media Sizes	ANSI A (Letter) (216 x 279 mm),A1 (594 x 841 mm),ANSI D (559 x 864 mm),Roll (61 cm x 45.7 m)
Media Thickness Range	Up to 0.3 mm
Media Weight	60 g/m <sup>2</sup> - 280 g/m <sup>2</sup>

## Networking

Networking	Print server
------------	--------------

## Expansion / Connectivity

Connections	1 x USB 2.0 - 4 pin USB Type B 1 x LAN - RJ-45
-------------	---

## Miscellaneous

Compliant Standards	R&TTE,RoHS,EN 60950-1,WEEE,REACH,LVD,EuP,EMC Class B
---------------------	--

## Power

Power Device	Power supply - internal
Voltage Required	AC 120/230 V
Frequency Required	50/60 Hz

Power Consumption Operational	35 Watt
Power Consumption Stand by	6 Watt
Power Consumption Sleep	4.5 Watt

#### Software / System Requirements

Software Included	Drivers & Utilities
OS Required	Linux,Microsoft Windows Server 2008 R2,Apple MacOS X 10.6,Microsoft Windows 7 Home Premium (32/64 bits),Microsoft Windows Vista Business (32/64 bits),Microsoft Windows Vista Home Premium (32/64 bits),Microsoft Windows Vista Ultimate (32/64 bits),Microsoft Windows 7 Professional (32/64 bits),Microsoft Windows 7 Ultimate (32/64 bits),Microsoft Windows Server 2008 (32/64-bits),Microsoft Windows Server 2003 (32/64-bits),Apple MacOS X Lion 10.7,Microsoft Windows XP Home Edition x64 Edition SP3,Citrix XenServer,Citrix XenApp,Apple MacOS X 10.8,Microsoft Windows XP Home Edition SP3 (32-bit),Microsoft Windows XP Professional SP3 (32/64 bits)

#### Environmental Standards

ENERGY STAR	Yes
-------------	-----

#### Manufacturer Warranty

Service &Support	Limited warranty - parts - 1 year
------------------	-----------------------------------

#### Environmental Parameters

Min Operating Temperature	5 °C
Max Operating Temperature	40 °C
Humidity Range Operating	20 - 80%
Sound Emission (Idle)	16 dBA
Sound Emission (Operating)	45 dBA

#### Dimensions &Weight

Width	98.7 cm
Depth	53 cm
Height	28.5 cm
Weight	25.5 kg

#### Dimensions &Weight (Shipping)

Width (Shipping)	114.1 cm
Depth (Shipping)	62 cm
Height (Shipping)	41.5 cm
Weight (Shipping)	30 kg

\*Tech Data is not responsible for errors in the documentation of products.