# Dell P2421DC(DELL-P2421DC) Dell P2421DC - LED monitor - 23.8" (23.8" viewable) - 2560 x 1440 QHD - IPS - 300 cd/m<sup>2</sup> - 1000:1 - 5 ms - HDMI,2xDisplayPort - with 3 years Advanced Exchange Basic Warranty



Do more with a 23.8"QHD USB-C monitor that expands your workspace. Get a better view of all your important tasks while reducing cable clutter.

# Key Selling Points

High energy efficiency and clearer, crisper images Ready and waiting Flexibility for all day comfort More screen Easy on the eyes Enjoy the view

#### Product Features

High energy efficiency and clearer, crisper images

With higher PPI than Full HD, this energy efficient monitor produces sharper, clearer details.

Ready and waiting

With the Always On power delivery feature, you'll still charge your system (and prevent accidental shutdown) even when the monitor is turned off.

Flexibility for all day comfort

With the ability to tilt, swivel, pivot and adjust the height of your monitor to fit your needs, you can stay comfortable all day. More screen

The small base takes up less space helping tidy up your desk.

Easy on the eyes

Optimize eye comfort with flicker-free technology and ComfortView, a feature that reduces up to 60% of harmful blue light emissions. Enjoy the view

Experience virtually seamless views with consistent colors across a wide 178°/178° viewing angle with In-Plane Switching (IPS) technology.

## Main Specifications

Product Description	Dell P2421DC - LED monitor - 23.8"
Device Type	LED-backlit LCD monitor - 23.8"
Adaptive-Sync Technology	NVIDIA G-SYNC
Features	USB-C hub
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	QHD 2560 x 1440 at 60 Hz
Pixel Pitch	0.2058 mm
Brightness	300 cd/m <sup>2</sup>
Contrast Ratio	1000: 1
Response Time	8 ms (normal);5 ms (fast)
Colour Support	16.7 million colours
Input Connectors	HDMI,2xDisplayPort
Display Position Adjustments	Height, pivot (rotation), swivel, tilt

Screen Coating	Haze 25%,anti-glare 3H hardness
Dimensions (WxDxH) - with stand	53.78 cm x 16.6 cm x 35.61 cm
Environmental Standards	TCO Certified Displays 8, ENERGY STAR Qualified
Compliant Standards	RoHS,NFPA 99,DisplayPort 1.2,HDCP 1.2,Mercury-free
Bundled Services	3 years Advanced Exchange Basic Warranty

# Extended Specification

#### General

Display Type	LED-backlit LCD monitor / TFT active matrix
Diagonal Size	23.8"
Viewable Size	23.8"
Adaptive-Sync Technology	NVIDIA G-SYNC
Built-in Devices	USB-C hub
Panel Type	IPS
Aspect Ratio	16:9
Native Resolution	QHD 2560 x 1440 at 60 Hz
Pixel Pitch	0.2058 mm
Pixel Per Inch	123
Brightness	300 cd/m <sup>2</sup>
Contrast Ratio	1000:1
Colour Support	16.7 million colours
Response Time	8 ms (normal);5 ms (fast)
Horizontal Viewing Angle	178
Vertical Viewing Angle	178
Screen Coating	Haze 25%,anti-glare 3H hardness
Backlight Technology	LED backlight
Features	99% sRGB colour gamut,BFR/PVC-free,Mercury free,arsenic-free glass
Dimensions (WxDxH)	53.78 cm x 16.6 cm x 35.61 cm - with stand
Connectivity	

	HDMI
	2 x DisplayPort (DisplayPort 1.2 mode)
Interfaces	USB 3.0 upstream
Interfaces	2 x USB 3.0
	2 x USB 2.0
	USB-C

### Mechanical

Display Position Adjustments	Height, pivot (rotation), swivel, tilt
Tilt Angle	-5/+21
Swivel Angle	90
Rotation Angle	180
Height Adjustment	130 mm
VESA Mounting Interface	100 x 100 mm

Features	Security lock slot (cable lock sold separately), VESA interface support
Cables Included	1 x DisplayPort cable - DisplayPort to DisplayPort 1 x SuperSpeed USB-C cable
Compliant Standards	RoHS,NFPA 99,DisplayPort 1.2,HDCP 1.2,Mercury-free
Power	
Voltage Required	AC 120/230 V (50/60 Hz)
Power Consumption Operational	25 Watt
Power Consumption Stand by	0.3 Watt
Power Consumption Sleep	0.3 Watt
Software / System Requirements	
Included Software	Dell Display Manager
Dimensions &Weight	
Dimensions & Weight Details	With stand - width:53.78 cm - depth:16.6 cm - height:35.61 cm Without stand - width:53.78 cm - depth:4.27 cm - height:32.21 cm - weight:3.77 kg
Dimensions &Weight (Shipping)	
Shipping Weight	7.69 kg
Environmental Standards	
TCO Certified	TCO Certified Displays 8
ENERGY STAR Certified	Yes
Manufacturer Warranty	
Bundled Services	3 years Advanced Exchange Basic Warranty
Environmental Parameters	
Min Operating Temperature	O° O
Min Operating Temperature Max Operating Temperature	40 °C

Dell P2421DC DisplayPort cable SuperSpeed USB-C cable Software

\*Tech Data is not responsible for errors in the documentation of products.