

Lenovo ThinkPad Hybrid USB-C with USB-A Dock(40AF0135EU)

Lenovo ThinkPad Hybrid USB-C with USB-A Dock - Docking station - USB-C - 2 x HDMI ,2 x DP - GigE - 135 Watt - for Miix 520-121KB;Tablet 10;ThinkPad E480;E580;L380;L380 Yoga;L470;L480;L580;P51s;P52s;T25;T470;T470p;T470s;T480;T480s;T570;T580;X1 Carbon;X1 Tablet;X1 Yoga;X270;X280;ThinkPad Yoga 370



The ThinkPad Hybrid USB-C with USB-A dock expands the capabilities of most any laptop,new or old,making it perfect for enterprise customers with mixed-PC or shared-desk environments. Featuring enterprise-class manageability like PXE boot and MAC address Pass-through the ThinkPad Hybrid USB-C with USB-A offers three high-speed USB3.1 ports,up to dual UHD 4K resolution and rapid charging on ThinkPad notebooks.

Key Selling Points

- One dock for all notebooks
- Rich performance
- Enterprise manageability & simplification

Product Features

One dock for all notebooks

Enhances the performance of Lenovo USB-C notebooks and tablets through USB-C connection,as well as previous generation and market notebooks through the USB-C to USB-A adaptor.

Rich performance

Provides up to dual UHD 4K display with DP and HDMI ports. Up to 10 Gbps data transfer speed on three USB3.1 gen2 ports,and rapid charging for ThinkPad family notebooks.

Enterprise manageability & simplification

Host of manageability features like PXE boot,Wake-On-Lan from sleep mode,and MAC address pass-through. Ideal for enterprise customers.

Main Specifications

Product Description	Lenovo ThinkPad Hybrid USB-C with USB-A Dock - docking station - USB-C - 2 x HDMI ,2 x DP - GigE
Product Type	Docking station
Docking Interface	USB-C
Video Interfaces	2 x HDMI ,2 x DP
Dimensions (WxDxH)	21 cm x 8 cm x 3 cm
Weight	475 g
Localisation	Indonesia,Vietnam,Europe
Networking	Gigabit Ethernet
Power	Power adapter 135 Watt
Manufacturer Warranty	3-year warranty
Designed For	Miix 520-121KB;Tablet 10;ThinkPad E480;E580;L380;L380 Yoga;L470;L480;L580;P51s;P52s;T25;T470;T470p;T470s;T480;T480s;T570;T580;X1 Carbon;X1 Tablet;X1 Yoga;X270;X280;ThinkPad Yoga 370

Extended Specification

General

Product Type	Docking station
Width	21 cm
Depth	8 cm
Height	3 cm
Weight	475 g
Localisation	Indonesia,Vietnam,Europe

Video

Max Resolution Details	4096 x 2160 - 60 Hz (DisplayPort only) 4096 x 2160 - 60 Hz (HDMI only) 3840 x 2160@60Hz,3840 x 2160@60Hz (DisplayPort1 and DisplayPort2 simultaneously) 3840 x 2160@60Hz,3840 x 2160@60Hz (HDMI1 and HDMI2 simultaneously) 3840 x 2160@60Hz,3840 x 2160@60Hz (DisplayPort and HDMI simultaneously)
------------------------	--

Networking

Data Link Protocol	Gigabit Ethernet
--------------------	------------------

Expansion / Connectivity

Interfaces	2 x USB 3.1 Gen 2 - 9 pin USB Type A 1 x USB 3.1 Gen 2 with Always-on charging - 9 pin USB Type A 2 x USB 2.0 - 4 pin USB Type A 1 x USB 3.1 Gen 2 - 24 pin USB-C 1 x network - 10Base-T/100Base-TX/1000Base-T - RJ-45 2 x audio / video - DisplayPort - 20 pin DisplayPort 2 x audio / video - HDMI - 19 pin HDMI Type A 1 x audio - headphones/microphone - mini-phone 3.5 mm 4-pole
------------	---

Miscellaneous

Cables Included	1 x USB-C cable with USB-C to USB-A dongle - external
Features	Security lock slot (cable lock sold separately),wake on LAN,Preboot Execution Environment (PXE) support,MAC address pass-through
Compliant Standards	TUV,VCCI,BSMI,NOM,CB,FCC,SII,KCC,ICES,cULus,Kvalitet,EAC,RCM,LoA

Power

Power Device	Power adapter
Power Provided	135 Watt

System Requirements

OS Required	Windows 10 (32/64 bits)
-------------	-------------------------

Manufacturer Warranty

Service &Support	Limited warranty - 3 years
------------------	----------------------------

Dimensions &Weight (Shipping)

Shipping Width	27 cm
Shipping Depth	16.5 cm
Shipping Height	8.8 cm

Shipping Weight

1.35 kg

Environmental Parameters

Min Operating Temperature	0 °C
Max Operating Temperature	35 °C

Compatibility Information

Designed For	Lenovo 13w Yoga 82S1,82S2 Lenovo IdeaPad 1 14IJL7 82LV Lenovo IdeaPad 1 15IJL7 82LX Lenovo IdeaPad 3 14ADA6 82KQ Lenovo IdeaPad 3 15ALC6 82MF Lenovo IdeaPad 3 15ITL6 82MD Lenovo IdeaPad 5 14ABA7 82SE Lenovo IdeaPad 5 14IAL7 82SD Lenovo IdeaPad Gaming 3 15ARH7 82SB Lenovo IdeaPad Gaming 3 15IAH7 82S9 Lenovo IdeaPad Gaming 3 15IHU6 82MG Lenovo IdeaPad Slim 7 Carbon 14ACN6 82L1 Lenovo K14 Gen 1 21CU Lenovo Lenovo Slim 7 14IAP7 82SX Lenovo ThinkBook 13s G4 IAP 21AR Lenovo ThinkBook 13x G2 IAP 21AT Lenovo ThinkBook 14 G4 ABA 21DK Lenovo ThinkBook 14 G4+ IAP 21CX Lenovo ThinkBook 15 G4 ABA 21DL Lenovo ThinkPad E14 Gen 3 20YF Lenovo ThinkPad E14 Gen 4 21E3,21E4,21EB Lenovo ThinkPad E15 Gen 4 21E6,21ED Lenovo ThinkPad L13 Gen 2 21AB,21AC Lenovo ThinkPad L13 Gen 3 21B9 Lenovo ThinkPad L13 Yoga Gen 3 21BB Lenovo ThinkPad L14 Gen 3 21C1,21C2,21C5,21C6 Lenovo ThinkPad L15 Gen 3 21C7 Lenovo ThinkPad P1 Gen 5 21DC Lenovo ThinkPad P14s Gen 3 21AK Lenovo ThinkPad P15v Gen 2 21AA Lenovo ThinkPad P15v Gen 3 21D8,21D9 Lenovo ThinkPad T14 Gen 3 21AH Lenovo ThinkPad T14s Gen 2 20XF,20XG Lenovo ThinkPad T14s Gen 3 21BR,21BS,21CR Lenovo ThinkPad T15p Gen 2 21A8 Lenovo ThinkPad T15p Gen 3 21DA Lenovo ThinkPad T16 Gen 1 21BV Lenovo ThinkPad X1 Carbon Gen 10 21CB,21CC Lenovo ThinkPad X1 Nano Gen 2 21E8 Lenovo ThinkPad X1 Yoga Gen 7 21CD,21CE Lenovo ThinkPad X13 Gen 2 20XH,20XJ Lenovo ThinkPad X13 Gen 3 21BN Lenovo ThinkPad X13 Yoga Gen 3 21AX Lenovo ThinkPad Z13 Gen 1 21D3 Lenovo V14 G2 IJL 82QX Lenovo V14 G2 ITL 82NM Lenovo V15 G2 IJL 82QY Lenovo V15 G2 ITL 82ME Lenovo V15 IML 82NQ Lenovo Yoga Duet 7 13ITL6-LTE 82Q7 Lenovo Yoga Slim 7 Carbon 14ACN6 82L0 Lenovo Yoga Slim 7 Pro 14ACH5 OD 82NK
--------------	---

Lenovo Yoga Slim 7 Pro 14IAP7 82SV
Lenovo Yoga Slim 7 Pro 16ACH6 82QQ
Lenovo Yoga Slim 9 14IAP7 82T0

*TD SYNEX is not responsible for errors in the documentation of products.